

■フロンサイドSCの混用事例－1－

項目	作物名 農薬名	み	り	な	も	ぶ	キ	か	う	び	ば									
		か	ん	し	も	う	ウ	キ	ウ	イ	フル	ツ	茶	い	し	よ				
殺虫剤	アーデント(水)		●	●							●									
	アクタラ(SG)										●									
	アクテリック(乳)										●									
	アグリメック										●									
	アグロスリン(乳)	●*					●													
	アグロスリン(水)		●	●	●			●	●		●									
	アタブロン(乳)											●								
	アタブロンSC		●		●				●											
	アディオン(乳)	●*		●	▲			●	●			●								
	アディオン(水)		●							●										
	アドマイヤー(水)			●								●								
	アドマイヤー(FL)	●*																		
	アドマイヤー(WG)	●*																		
	アフアーム(乳)											●								
	アプロード(水)	●*		●	●							●								
	アプロード(FL)		●		●							●								
	アプロードエース(FL)	●																		
	アルバリン(SG)											●								
	ウララ(DF)		●	●	●							●								
	エクシレル(SE)		●	●								●								
	エビセクト(水)								●			●								
	エルサン(乳)	●																		
	エルサン40(水)		●	●																
	エンセダン(乳)											●								
	オーシャイン(水)	●																		
	オマイト(水)				●															
	オリオン(水)	△	△	△					△											
	オルトラン(水)								●			●								
	カスケード(乳)		●									●								
	ガードジェット(水)		●									●								
	カーラ(FL)		●	●								●								
	カネマイト(FL)											●								
	カルホス(乳)	●										●								
	キラップ(FL)	●										●								
	キラップJ(水)											●								
	キラップバリアード(FL)											●								
	コテツ(FL)	●*	●	●	●			●			●	●								
	コルト(WG)	●	●	●					●		●	●								
	コロマイト(乳)			×																
	コロマイト(水)			●																
	サイアノックス(水)		●	●	●															
	サイハロン(水)	●	●	●	●							●								
	サブリーナ(FL)											●								
	サムコル10(FL)		●	●								●								
	サンマイト(水)	●*	●	●	●															
サンマイト(FL)											●									
ジェイエース(溶)								●			●									
ジマンダイセン(FL)	●																			
スカウト(FL)		●	●	●			●		●		●									
スタークル(SG)	●*		●								●									

* : 精製マシン油との混用は、萌芽期から落弁期までとする。

●* : かんきつも対象とする。

